



2025

CATALOGUE

ISO-Lateral incline shoulder Press

Model: SP - 8001

FEATURES

1. The Plate-Loaded Iso-Lateral shoulder Press was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. The back pad is angled 40 degrees for stabilization and to eliminate hyperextension of the spine.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve
5. Aluminum alloy footplate



SPECIFICATIONS

N.W.:145kgs G.W.:195kgs

Installation size: 2200*1750*1150mm

ISO Lateral Shoulder Press

Model: SP - 8002

FEATURES

1. The Plate-Loaded Iso-Lateral Shoulder Press was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:150kgs G.W.:200kgs

Installation size: 1600*1620*1600mm

Iso-Lateral Wide Pulldown

Model: SP - 8003

FEATURES

1. The Plate-Loaded Iso-Lateral Wide Pulldown was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. This machine offers double Iso-Lateral training with pivots angled in two different planes.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:145kgs G.W.:155kg

Installation size: 1700*1300*2000mm

Iso-Lateral High Row

Model: SP - 8004

FEATURES

1. The Plate-Loaded Iso-Lateral High Row was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. It provides a unique path of motion that contrasts the incline press for a workout that's not easily replicated by other machines.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:155kgs G.W.: 205kgs

Installation size: 2000*1450*1780mm



Iso-Lateral front lat pull down

Model: SP - 8004A

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. two-axis, double-track and single-point design, the movement arm can be moved independently
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.:152KG G.W:230KG

Installation size: 1600*1620*1600MM



Ground Base Plate LoadedSquat/High Pull

Model: SP - 8005

FEATURES

1. The Plate-Loaded Ground Base Squat High Pull introduces balance to the squat exercise while providing biomechanics that keep exercisers' bodies in suitable positions for performance training. Ground Base equipment is designed to keep the exerciser firmly planted on the ground while maximizing power and explosiveness from the feet up.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:115kgs G.W.:165kgs

Installation size: 2050*1430*1320mm

T BAR ROW

Model: SP - 8006

FEATURES

1. Universal pivot point allows for user defined path.
2. Non-skid footplates stabilize user.
3. Separately positioned footplates fit all users.
4. Dual position handles target different muscle
5. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
6. Ergonomic design, smooth workout.
7. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:95kgs G.W.:145kgs

Installation size: 1110*1250*2000mm



Iso Lateral Row

Model: SP - 8007

FEATURES

1. ISO Lateral Row was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. It provides a unique path of motion that contrasts with the decline press.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:155kgs G.W.:205kgs

Installation size: 1250*1700*1710mm



Iso Lateral Upper back pull down

Model: SP - 8007A

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Two-axis, double-track and single-point design, the movement arm can be moved independently
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 110KG

Installation size: 1067x1400x1850mm

Iso Lateral Upper back pull down

Model: SP - 8007A

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Two-axis, double-track and single-point design, the movement arm can be moved independently
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.: 110KG

Installation size: 1067x1400x1850mm



Stand Pull Back

Model: SP - 8008

FEATURES

1. Universal pivot point allows for user defined path.
2. Non-skid footplates stabilize user.
3. separately positioned footplates fit all users.
4. Dual position handles target different muscle
5. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
6. Ergonomic design, smooth workout.
7. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:90kgs G.W.:140kgs

Installation size: 2150*1230*1300mm

GROUND BASE COMBO INCLINE

Model: SP - 8009

FEATURES

1. The Plate-Loaded Ground Base Combo Twist is perfect for athletes who rely on rotating motions for maximum performance. It also combines two workouts to save space. Ground Base equipment is designed to keep the exerciser firmly planted on the ground while maximizing power and explosiveness from the feet up.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:95kgs G.W.:145kgs

Installation size: 1300*1400*1200mm

GROUND BASE COMBO TWIST (LEFT PULL)

Model: SP - 8010

FEATURES

1. The Plate-Loaded Ground Base Twist Left is ideal for athletes who rely on left-sided rotational motion for maximum performance. Ground Base equipment is designed to keep the exerciser firmly planted on the ground while maximizing power and explosiveness from the feet up.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:75kgs G.W.:125 kgs

Installation size: 1300*1400*1200mm

GROUND BASE COMBO TWIST (RIGHT PULL)

Model: SP - 8011

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. The Plate-Loaded Ground Base Twist Right is ideal for athletes who rely on right-sided rotational motion for maximum performance. Ground Base equipment is designed to keep the exerciser firmly planted on the ground while maximizing power and explosiveness from the feet up
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:75kgs G.W.:125kgs

Installation size: 1300*1400*1200mm

Incline Chest Press

Model: SP - 8012

FEATURES

1. The Plate-Loaded Iso-Lateral incline Bench Press was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:155kgs / 341lbs G.W.:205kgs/ 452lbs

Installation size: 2000*1700*1500mm/79*67*59in

Iso Lateral Decline Bench Press

Model: SP - 8013

FEATURES

1. The Plate-Loaded Iso-Lateral decline Bench Press was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:140kgs G.W.:190 kgs

Installation size: 1800*1650*800mm

Iso-Lateral Bench Press

Model: SP - 8014

FEATURES

1. The Plate-Loaded Iso-Lateral Bench Press features separate weight horns that provide independent diverging and converging motions for equal strength development. Vertical and horizontal grip options replicate traditional bench presses or athletic movements.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:155kgs G.W.:165kg

Installation size: 1200*1750*1710mm



Iso-Lateral Horizontal Bench Press

Model: SP - 8015

FEATURES

1. The Plate-Loaded Iso-Lateral Horizontal Bench Press was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:135kgs G.W.:185 kgs

Installation size: 1860*1700*1000mm

Plate Loaded Leg Press

Model: SP - 8016

FEATURES

1. The Plate-Loaded Leg Press machine design encourages proper exercise performance with initiation by pushing down through the hips. Seat pads and footplates are angled and structured to reduce undesirable stress and tension.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:200kgs G.W.:250kgs

Installation size: 1169*1208*1660mm

Iso Lateral Leg Press

Model: SP - 8017

FEATURES

1. The Iso-Lateral Leg Press was blueprinted from human movement. Separate weight horns engage independent diverging paths of motion for equal strength development and muscle stimulation variety. Seat pads and footplates are angled and structured to reduce undesirable stress and tension.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:210kgs G.W.:260 kg

Installation size: 1169*1208*1660mm



Plate Loaded Seated Calf

Model: SP - 8018

FEATURES

1. The Plate-Loaded Seated Calf Raise is designed to train the soleus muscle motions. It also has an adjustable thigh pad restraint to accommodate various exercisers..
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:125kgs G.W.:175kgs

Installation size: 2100*1550*1500mm



Standing Calf Machine

Model: SP - 8019

FEATURES

1. The traditional design of the Plate-Loaded Standing Calf offers easy entry and exit. The angled diamond plate footplate helps maintain foot placement and allows for maximum stretch. The starting height is adjustable for all sizes. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:135kgs G.W.:185kgs

Installation size: 1500*1350*1670mm

Plate Loaded V Squat

Model: SP - 8020

FEATURES

1. The Plate-Loaded V-Squat is designed to have a natural squatting motion, while reducing back and knee strain through a curved arc of motion. It also employs a standard counter balance for lower starting resistance.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:190kgs G.W.:240 kgs

Installation size: 2470*1130*1650mm



GROUND BASE JAMMER

Model: SP - 8021

FEATURES

1. The Plate-Loaded Ground Base Jammer is conducive to athletic applications that require ground-based explosiveness. Ground Base equipment is designed to keep the exerciser firmly planted on the ground while maximizing power and explosiveness from the feet up.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:160kgs G.W.: 210 kgs

Installation size: 1550*2000*1900mm



leg Press

Model: SP - 8022

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:207kgs G.W.:260kgs

Installation size: 2600*1200*1160mm

Iso Lateral Leg Extension

Model: SP - 8023

FEATURES

1. The Plate-Loaded Iso-Lateral Leg Extension was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. Two resistance loading positions provide dual strength curves depending on exercise goals.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:135kgs G.W.:185kgs

Installation size: 1500*1500*1000mm

Iso Lateral Leg Curl

Model: SP - 8024

FEATURES

1. The Plated-Loaded Iso-Lateral Leg Curl was blueprinted from human movement. Separate weight horns engage independent diverging and converging motions for equal strength development and muscle stimulation variety. And the divergent angle between hip and chest pads helps reduce lower-back tension.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, accurate trajectory, smooth operation.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:125kgs G.W.:175 kgs

Installation size: 1700*1550*950mm

Hip Trainer

Model: SP - 8025

FEATURES

1. The Plate-Loaded Ground Base Combo Decline loads at opposite points allowing users to perform a twisting motion in a decline plane. And handles provide user stabilization during single-arm exercises.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:170kgs G.W.:220kgs

Installation size: 1820*1700*2360mm



COMBO DECLINE

Model: SP - 8026

FEATURES

1. The Plate-Loaded Ground Base Combo Decline loads at opposite points allowing users to perform a twisting motion in a decline plane. And handles provide user stabilization during single-arm exercises.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:170kgs G.W.:220kgs

Installation size: 1820*1700*2360mm



Seated Shrug

Model: SP - 8027

FEATURES

1. The Plate-Loaded Seated/Standing Shrug is designed to allow exercisers to perform either seated or standing exercises while providing better alignment of the trapezius muscles.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:110kgs G.W.:120kgs

Installation size: 1300*1650*1160mm

Linear Leg Press

Model: SP - 8028

FEATURES

1. The Plate-Loaded Linear Leg Press is designed to be an easy-to-use and have a smooth linear leg press motion. It also employs a flip-in, flip-out mechanism to aid exercisers in use.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W:225kgs G.W.:275 kgs

Installation size: 2450*1200*1450mm

GROUND BASE SQUAT LUNGE

Model: SP - 8029

FEATURES

1. The Plate-Loaded Ground Base Squat Lunge provides various strength curves by using different loading points and handle positions. Ground Base equipment is designed to keep the exerciser firmly planted on the ground while maximizing power and explosiveness from the feet up.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:110kgs G.W.:160kgs

Installation size: 1520*1500*900mm



GROUND BASE SQUAT LUNGE

Model: SP - 8029

FEATURES

1. The Plate-Loaded Ground Base Squat Lunge provides various strength curves by using different loading points and handle positions. Ground Base equipment is designed to keep the exerciser firmly planted on the ground while maximizing power and explosiveness from the feet up.
2. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
3. Ergonomic design, smooth workout.
4. Hard chrome weight plate sleeve



SPECIFICATIONS

N.W.:110kgs G.W.:160kgs

Installation size: 1520*1500*900mm

Plate Loaded Glute

Model: SP - 8030

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve

SPECIFICATIONS

N.W.:95kgs G.W.:145kg

Installation size: 1600*1000*1700mm



Prone leg trainer

Model: SP - 8031

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Two-axis, double-track and single-point design, the movement arm can be moved independently
5. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 105KG/231lbs

Installation size: 1950x1100x1370mm/77*43*54in

Muscle: Hip, leg

Hip trainer

Model: SP - 8032

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.: 100KG

Installation size: 1650x1410x900mm



Hack squat & leg press

Model: SP - 8034

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 210KG, G.W:260KG

Installation size: 2450*1200*1450mm

45 degree hack squat

Model: SP - 8035

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 210KG G.W:260KG

Installation size: 2450*1200*1450MM

35 degree hack squat

Model: SP - 8035A

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 210KG G.W:260KG

Installation size: 2450*1200*1450MM

Ab trainer

Model: SP - 8036

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 189KG G.W:219KG

Installation size: 1650*1410*900MM

lat pull-down circular

Model: SP - 8037

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.: 125KG G.W:155KG

Installation size: 1192*1112*1987MM



middle chest flight machine

Model: SP - 8038

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.: 70KG G.W:100KG

Installation size: 1482*1735*1268MM



Triceps machine

Model: SP - 8039

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 90KG G.W:120KG

Installation size: 1526*1435*837MM

Pull back machine

Model: SP - 8041

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable



SPECIFICATIONS

N.W.: 90KG G.W:120KG

Installation size: 1467*1360*1024MM

90 degree leg press

Model: SP - 8042

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.: 206KG G.W:236KG



Pendulum Squat

Model: SP - 8043

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.: 210KG G.W:240KG



Pro Biceps curl

Model: SP - 8047

FEATURES

1. Main frame adopts 40*80*3.0mm pipe. All pipes are Q235 qualified pipe.
2. Ergonomic design, smooth workout.
3. Hard chrome weight plate sleeve, can withstand heavy weight, more safety.
4. Cushion filled with MC high resilience foam material, high-grade PU leather surface. ABS handle cap, good looking and durable

SPECIFICATIONS

N.W.: 60KG G.W:90KG



